







(Valid from 27.11.2024 to 01.12.2024)

Prepared by the Department of Agricultural Meteorology, Kerala Agricultural University, COA, Vellanikkara based on the medium range weather forecast of India Meteorological Department (IMD), New Delhi

AAS Bulletin No: 48/2024, (95) Tuesday

Dated 26.11.2024

(Dated 2			uring last 26 th Nove		24)		Weather Parameters		Weather Forecast Valid for 27 th November to 01 st December 2024				
20/11	21/11	22/11	23/11	24/11	25/11	26/11	Date		27/11	28/11	29/11	30/11	01/12
0.0	0.0	0.0	0.0	0.0	0.0	0.0	Rainfall (mm)		2	0.5	0.1	0.1	0.2
32.5	32.6	32.3	33.9	33.4	34.0	33.0	$T_{max}(^{0}C)$		33	33	33	33	33
23.8	23.1	24.0	23.5	23.5	23.6	25.5	T mir	$\mathbf{n}^{(0}\mathbf{C})$	25	25	25	25	25
Cloudy	Partly cloudy	Cloudy	Partly cloudy	Cloudy	Cloudy	Cloudy	AM	Cloud	Overcast	Overcast	Cloudy	Cloudy	Cloudy
Cloudy	Cloudy	Cloudy	Cloudy	Cloudy	Cloudy		PM	cover					
73	76	79	73	81	79	72	RH-	[(%)	82	82	82	82	82
55	64	52	55	54	55		RH-II (%)		62	62	62	62	62
4.7	5.6	4.2	3.8	3.3	4.5	4.8	Wind Speed (km/hr.)		2	2	3	2	3
NNE	NNE	NNE	NNE	NNE	NNE	NNE	AM	Wind	CW	CCW	NINIXX/	W CW	CW
NE	SE	NNE	NNE	NNE	ESE		PM	direction	SW	SSW	NNW	W SW	SW
Rainfall (mm) in last week Rainfa					fall (mm) from 01/01/2024 to till dated				Rainfall (mm) from 01/10/2024 to today				
0.0				3052.7					296.3				

Weather summary / Alert: As per the forecast of IMD, there is a chance of light rainfall in the district. Above normal rainfall is expected in Kerala.

General and Agrometeorological Advisories for Thrissur District

Prophylactic measures can be taken to control and to avoid the spread of crop pest and diseases. Since there is a chance of dry weather condition due to strong wind and high evaporation, crops should be irrigated, when required. Since the wind speed may increase, give strong propping to banana and staking to vegetables. As the rain is decreasing proper mulching can be followed to conserve soil moisture.

Crop	Pest/ Disease, Crop Management	Agromet Advisory
Rice (Mundakan)	Leaf folder	There is a chance of Leaf folder attack in Mundakan Paddy. It can be controlled by using trichogramma cards (2CC per one acre). Cut the cards in to small pieces and fix in different regions of the field. If the attack is severe, spray Chlorantraniliprole @ 3ml per ten litre of water.
Tillering stage	Bacterial Leaf blight	To control and prevent Bacterial Leaf blight in paddy, dissolve 20 g of cow dung in one liter of water and spray the supernatant liquid by mixing with 20g of pseudomonas. If the attack is severe spray 6 g of Streptocycline in 30 liter of water.
Vegetables Bitter gourd & Bhindhi	Jazids	There is a chance of Jazids attack in bitter gourd and bhindi. Spray 2 g thiamethoxam per ten litre of water.
Brinjal	Shoot and Fruit Borer	There is a chance of shoot and fruit borer attack in brinjal. To control them, remove damaged shoot and fruits from the field. If the attack is severe, spray Chlorantraniliprole @ 3ml per ten litre of water.

Animal Husbandry: - Vaccinate animals against foot and mouth disease and hemorrhagic septicemia. If needed give medicine agaist worm infestation after dung examination. (CAADECCS, KVASU, Munnuthy).